15 Gram Snacks

Following are a few ideas for snacks that usually appeal to children and teens. The snacks listed under "Higher Fat" may be appropriate for higher-activity days and at bedtime. These snacks require insulin.

15 g Carbohydrate snack (pre-exercise)	15 g Carbohydrate snack + protein
	(afterschool, bedtime)
¾ cup mandarin oranges (canned in water or	1 cup strawberries with 2 tbsp whipped
100% juice)	cream
1 small banana (4 ounces) or ½ large banana	1/4 cup hummus with raw vegetables
1 small apple or 2 cuties (clementine	½ cup plain Greek yogurt + ½ cup berries
oranges)	(fresh or frozen)
6 whole grain crackers (such as Kashi TLC,	¼ cup 2% cottage cheese with ¾ cup
Triscuits, or Wheat Thins)	blueberries
Part of a granola/snack bar (Lara, Luna, Kashi,	½ large banana with 1 tbsp peanut butter
Cliff, Z-bar, Rx Bar)	½ peanut butter sandwich using 1 tbsp
1 cup skim milk	peanut butter
40 Goldfish crackers	17 grapes + 1 string cheese
12 mini pretzels	1 ounce tortilla chips (about 10) with 2 tbsp
3 graham cracker squares	guacamole
	1 cup 1% milk

<u>Higher-Fat snacks equal to 1 carb choice or 15 grams of carbohydrate plus fat and or protein</u> (better for bedtime)

Adding some protein (10-15 g) or a little fat (5-10g) to the carbohydrate will help slow down the digestion of those carbohydrates, which is important for a bedtime snack (if needed, blood glucose <120 mg/dL at bedtime check). We want the carbohydrates to "spike" around the time blood sugar may drop (1-3AM).

½ large banana with 1 tbsp peanut butter

1 (5.3 oz) container of Greek yogurt (Oikos Triple Zero, 8 g net carb) + 1/3 cup fruit

½ cup plain, unsweetened Greek yogurt + ½ cup berries (fresh or frozen)

¼ of a large bagel toasted with 1 ounce any cheese

1 English muffin pizza (1/2 muffin with tomato sauce and ¼ cup shredded cheese, melted)

¼ cup guacamole with 10 tortilla chips

½ cup ice cream, premium*

2-34 cups cheese-flavored popcorn*

1-ounce potato chips*

^{*}These should not be every night; use as treats